Serial No. : 10/081,872 Filed : February 21, 2002

Page : 2 of 37

AMENDMENT

Please amend the claims as follows:

This listing of claims will replace all prior versions, and listing, of claims in the application:

Please cancel claims 19 to 46, 49 to 73, 89, 90, 93 to 100 and 108 to 110 and 116, without prejudice.

Listing of Claims:

Claim 1 (currently amended): An isolated <u>or recombinant</u> nucleic acid comprising a sequence that encodes a polypeptide having alpha amylase activity, wherein said sequence is selected from the group consisting of:

(a) a sequence having at least 85% sequence identity to a sequence as set forth in SEQ ID NO:125

SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299;

variants having at least about 50% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, over a region of at least about 100 consecutive residues, as determined by analysis with a sequence comparison algorithm or by visual inspection; and

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 3 of 37

(b) sequences complementary to (a) SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299; and

sequences complementary to variants having at least about 50% homology to SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection.

Claim 2 (currently amended): An [[The]] isolated or recombinant nucleic acid as elaimed in claim 1, wherein the isolated nucleic acid comprises a complementary sequence that hybridizes under stringent conditions [[of high stringency]] to a sequence selected from the group consisting of:

(a) a sequence having at least 85% sequence identity to a sequence as set forth in SEQ ID NO:125

SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 4 of 37

209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, and variants having at least about 50% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection; and,

(b) sequences complementary to (a)

wherein the stringent conditions comprise a wash step comprising 30 minutes at room temperature in a solution comprising 150 mM NaCl, 20 mM Tris hydrochloride, pH 7.8, 1 mM Na2EDTA, 0.5% SDS, followed by a 30 minute wash in fresh solution at Tm-10°C.

Claim 3 (currently amended): An [[The]] isolated or recombinant nucleic acid as elaimed in claim 1, wherein the isolated nucleic acid comprises a complementary sequence that hybridizes under stringent conditions [[of moderate stringency]] to a sequence selected from the group consisting of: (a) a sequence as set forth in SEQ ID NO:125; and, (b) sequences complementary to (a); wherein the stringent conditions comprise a wash step comprising 30 minutes at room temperature in a solution comprising 150 mM NaCl, 20 mM Tris hydrochloride, pH 7.8, 1 mM Na2EDTA, 0.5% SDS, followed by a 30 minute wash in fresh solution at Tm-10°C

SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 5 of 37

209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, and variants having at least about 50% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection.

Claim 4 (currently amended): The isolated or recombinant nucleic acid [[as claimed in]] of claim [[1]] 2 or claim 3, wherein the Tm=81.5+16.6(log [Na+])+0.41(fraction G+C)-(0.63% formamide)-(600/N) where N is the length of the nucleic acid isolated nucleic acid comprises a complementary sequence that hybridizes under conditions of low stringency to a sequence selected from the group consisting of: SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, and variants having at least about 50% homology to at least one of SEO ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195,

Applicant : Walter Callen et al. Atty Docket No.: 56446-20061.00 /09010-

108001/DIVER1530-5

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 6 of 37

197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection.

Claim 5 (currently amended): The isolated <u>or recombinant</u> nucleic acid [[as claimed in]] <u>of claim 1, wherein the sequence identity is determined said variants have at least about 50% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, over a region of at least about 200 consecutive residues, as determined by analysis with a sequence comparison algorithm.</u>

Claim 6 (currently amended): The isolated <u>or recombinant</u> nucleic acid <u>of</u> [[according to]] claim [[1]] <u>5</u>, wherein <u>the sequence identity is determined</u> <u>said variants have at least about 50% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over the entire sequence.</u>

Applicant : Walter Callen et al. Atty Docket No.: 56446-20061.00 /09010-Serial No. 10/081.872 Atty Docket No.: 56446-20061.00 /09010-

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 7 of 37

Claim 7 (currently amended): The isolated <u>or recombinant</u> nucleic acid <u>of</u> [[according to]] claim [[1, 2, 3, 4,]] 5 [[or 6]], wherein <u>the sequence identity is determined over a region of at least about 300 consecutive residues said variants have at least about 55% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.</u>

Claim 8 (currently amended): The isolated or recombinant nucleic acid of [[according to]] claim 7 [[1, 2, 3, 4, 5 or 6]], wherein the sequence identity is determined over a region of at least about 400 consecutive residues said variants have at least about 60% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Claim 9 (currently amended): The isolated <u>or recombinant</u> nucleic acid <u>of</u> [[according to]] claim <u>8</u> [[1, 2, 3, 4, 5 or 6]], wherein <u>the sequence identity is determined over a region of at least about 500 consecutive residues said variants have at least about 65% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129,</u>

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 8 of 37

131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Claim 10 (currently amended): An [[The]] isolated or recombinant nucleic acid comprising a sequence that encodes a polypeptide having alpha amylase activity, wherein said sequence is selected from the group consisting of: (a) a sequence having at least 85% sequence identity to a sequence as set forth in SEQ ID NO:125 over a region of at least about 35 consecutive residues, as determined by analysis with a sequence comparison algorithm or by visual inspection; and (b) sequences complementary to (a) according to claim 1, 2, 3, 4, 5 or 6, wherein said variants have at least about 70% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Claim 11 (currently amended): An [[The]] isolated or recombinant nucleic acid comprising a sequence that encodes a polypeptide having alpha amylase activity, wherein the sequence is selected from the group consisting of: (a) a sequence having at least 85% sequence identity to a sequence as set forth in SEQ ID NO:125 over a region of at least about 40 consecutive residues, as determined by analysis with a sequence comparison algorithm or by visual inspection; and (b) sequences complementary to (a) according to claim 1, 2, 3, 4, 5 or 6, wherein said variants have at least about 75% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 9 of 37

61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Claim 12 (currently amended): An [[The]] isolated or recombinant nucleic acid comprising a sequence that encodes a polypeptide having alpha amylase activity, wherein the sequence is selected from the group consisting of: (a) a sequence having at least 85% sequence identity to a sequence as set forth in SEQ ID NO:125 over a region of at least about 50 consecutive residues, as determined by analysis with a sequence comparison algorithm or by visual inspection; and (b) sequences complementary to (a) according to claim 1, 2, 3, 4, 5 or 6, wherein said variants have at least about 80% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Claim 13 (currently amended): An [[The]] isolated or recombinant nucleic acid comprising a sequence that encodes a polypeptide having alpha amylase activity, wherein the sequence is selected from the group consisting of: (a) a sequence having at least 85% sequence identity to a sequence as set forth in SEQ ID NO:125 over a region of at least about 75 consecutive residues, as determined by analysis with a sequence comparison algorithm or by visual inspection; and (b) sequences complementary to (a) according to claim 1, 2, 3, 4, 5 or 6,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 10 of 37

wherein said variants have at least about 85% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Claim 14 (currently amended): The isolated <u>or recombinant</u> nucleic acid <u>of</u> [[according to]] claim 1, [[2, 3, 4, 5 or 6,]] wherein <u>the sequence identity is</u> [[said variants have]] at least about 90% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Claim 15 (currently amended): The isolated <u>or recombinant</u> nucleic acid <u>of</u> [[according to]] claim 1, [[2, 3, 4, 5 or 6,]] wherein <u>the sequence identity is</u> [[said variants have]] at least about 95% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233,

Applicant : Walter Callen et al. Atty Docket No.: 56446-20061.00 /09010-

108001/DIVER1530-5

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 11 of 37

235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Claim 16 (currently amended): The isolated <u>or recombinant</u> nucleic acid of claim 1, wherein the sequence comparison algorithm is FASTA version 3.0t78 with the default parameters.

Claim 17 (currently amended): An isolated <u>or recombinant</u> nucleic acid <u>probe</u> comprising at least 35 [[10]] consecutive bases of a sequence <u>as set forth in claim 1 or claim 2</u> selected from the group consisting of:

SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299;

variants having at least about 50% homology to at least one of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection;

sequences complementary to SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75,

Applicant : Walter Callen et al. Atty Docket No.: 56446-20061.00 /09010-Serial No. : 10/081.872 Atty Docket No.: 56446-20061.00 /09010-

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 12 of 37

77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299; and

sequences complementary to variants having at least about 50% homology to SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection.

Claim 18 (currently amended): The [[An]] isolated or recombinant nucleic acid probe [[as claimed in]] of claim 17, wherein the nucleic acid comprises at least 40 consecutive bases of said sequence has at least about 50% homology to a sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, over a region of at least about 200 residues.

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 13 of 37

Claim 47 (currently amended): A method of producing a polypeptide selected from the group consisting of:

polypeptides having an amino acid sequence selected from the group consisting of: SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298;

variants having at least about 90% sequence identity to a sequence as set forth in SEQ ID NO:126 50% homology to at least one of SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, over a region of at least about 75 [[100]] residues, as determined by analysis with a sequence comparison algorithm or by visual inspection;

sequences complementary to SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 14 of 37

238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298; and

sequences complementary to variants having at least about 50% homology to SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection; and

polypeptides having at least 10 consecutive amino acids of a polypeptide having a sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298; comprising the steps of introducing a nucleic acid encoding the polypeptide into a host cell under conditions that allow expression of the polypeptide [[, and recovering the polypeptide]].

Claim 48 (currently amended): A method of producing a polypeptide <u>having</u> amylase activity comprising at least 10 amino acids of a sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170,

Applicant: Walter Callen et al. Atty Docket No.: 56446-20061.00 /09010-

108001/DIVER1530-5

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 15 of 37

172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, comprising the steps of: providing a nucleic acid having a sequence as set forth in claim 10; introducing the [[a]] nucleic acid encoding the polypeptide, operably linked to a promoter, into a host cell under conditions that allow expression of the polypeptide, and recovering the polypeptide.

Claims 49 to 73 (canceled)

Claim 74 (currently amended): An assay for identifying <u>a</u> [[functional]] polypeptide having amylase activity comprising the steps of:

(a) providing fragments or variants encoded by fragments of a nucleic acid as set forth in claim 10 SEO ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, and sequences having at least about 50% homology to SEQ ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45 .47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection, which retain at least one

Applicant : Walter Callen et al. Atty Docket No.: 56446-20061.00/09010-

108001/DIVER1530-5

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 16 of 37

property of the polypeptides of SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, and sequences having at least about 50% homology to SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection, said assay comprising the steps of:

(b) expressing the nucleic acid to provide a polypeptide;

(c) contacting the polypeptide of SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, and sequences having at least about 50% homology to SEQ ID NOS: 2, 4, 6, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 17 of 37

130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, 178, 180, 182, 184, 186, 188, 190, 192, 194, 196, 198, 202, 204, 206, 208, 210, 212, 214, 216, 218, 220, 222, 224, 226, 228, 230, 232, 234, 236, 238, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 262, 264, 266, 268, 270, 272, 274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection, polypeptide fragments or variants encoded by SEO ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, sequences having at least about 50% homology to SEO ID NOS: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection, and sequences complementary to any of the foregoing sequences, with a substrate molecule under conditions which allow the [[particular]] polypeptide to function; and

(d) detecting either a decrease in an amount of a substrate or an increase in an amount of a reaction product which results from a reaction between said polypeptide and said substrate; wherein a decrease in the amount of the substrate or an increase in the amount of the reaction product is indicative of existence of the functional polypeptide.

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 18 of 37

Claim 75 (currently amended): A nucleic acid probe comprising an oligonucleotide [[from]] at least about 35 [[10 to 50]] nucleotides in length and having a segment of at least [[10]] 35 contiguous nucleotides of a nucleic acid target region having sequence as set forth in claim 10 that is at least 50% complementary to a nucleic acid target region of a nucleic acid sequence selected from the group consisting of SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299; and which hybridizes to the nucleic acid target region under moderate to highly stringent conditions to form a detectable target:probe duplex.

Claim 75 (currently amended): The probe of claim 74, wherein the oligonucleotide [[is]] comprises DNA or RNA.

Claim 76 (currently amended): The probe of claim 74, wherein the oligonucleotide has a segment of at least 10 contiguous nucleotides that is at least 90% sequence identity [[55% complementary]] to the nucleic acid target region.

Claim 77 (currently amended): The probe of claim [[74]] 76, wherein the oligonucleotide has a segment of at least 10 contiguous nucleotides that is at least 95% sequence identity [[60% complementary]] to the nucleic acid target region.

Claim 78 (currently amended): The probe of claim [[74]] 77, wherein the oligonucleotide has a segment of at least 10 contiguous nucleotides that is at least 97% sequence identity [[65% complementary]] to the nucleic acid target region.

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 19 of 37

Claim 79 (currently amended): The probe of claim [[74]] 78, wherein the oligonucleotide has [[a segment of]] at least 40 [[10]] contiguous nucleotides having sequence identity [[that is at least 70% complementary]] to the nucleic acid target region.

Claim 80 (currently amended): The probe of claim [[74]] <u>79</u>, wherein the oligonucleotide has [[a segment of]] at least <u>50</u> [[10]] contiguous nucleotides <u>having sequence</u> <u>identity</u> [[that is at least 75% complementary]] to the nucleic acid target region.

Claim 81 (currently amended): The probe of claim [[74]] <u>80</u>, wherein the oligonucleotide has [[a segment of]] at least <u>75</u> [[10]] contiguous nucleotides <u>having sequence</u> <u>identity</u> [[that is at least 80% complementary]] to the nucleic acid target region.

Claim 82 (currently amended): The probe of claim [[74]] <u>81</u>, wherein the oligonucleotide has [[a segment of]] at least <u>100</u> [[10]] contiguous nucleotides <u>having sequence</u> identity [[that is at least 85% complementary]] to the nucleic acid target region.

Claim 83 (currently amended): The probe of claim [[74]] <u>82</u>, wherein the oligonucleotide has [[a segment of]] at least <u>150</u> [[10]] contiguous nucleotides <u>having sequence</u> <u>identity</u> [[that is at least 90% complementary]] to the nucleic acid target region.

Claim 84 (currently amended): The probe of claim [[74]] 83, wherein the oligonucleotide has [[a segment of]] at least 200 [[10]] contiguous nucleotides having sequence identity [[that is at least 95% complementary]] to the nucleic acid target region.

Claim 85 (currently amended): The probe of claim [[74]] <u>84</u>, wherein the oligonucleotide has a segment of at least 10 contiguous nucleotides that is fully complementary to the nucleic acid target region.

Claim 86 (currently amended): The probe of claim 74, wherein the oligonucleotide is [[15-50]] about 35 to 50 bases in length.

Applicant : Walter Callen et al. Atty Docket No.: 56446-20061.00 /09010-Serial No. : 10/081.872 Atty Docket No.: 56446-20061.00 /09010-

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 20 of 37

Claim 87 (original): The probe of claim 74, wherein the probe further comprises a detectable isotopic label.

Claim 88 (original): The probe of claim 74, wherein the probe further comprises a detectable non-isotopic label selected from the group consisting of a fluorescent molecule, a chemiluminescent molecule, an enzyme, a cofactor, an enzyme substrate, and a hapten.

Claim 89 to 90 (canceled)

Claim 91 (currently amended): The probe of claim 74 [[86]], wherein the oligonucleotide has a segment of at least 15 contiguous nucleotides that is at least 97% complementary to a nucleic acid target region, and which hybridizes to the nucleic acid target region under [[moderate to highly]] stringent conditions to form a detectable target:probe duplex, wherein the stringent conditions comprise a wash step comprising 30 minutes at room temperature in a solution comprising 150 mM NaCl, 20 mM Tris hydrochloride, pH 7.8, 1 mM Na2EDTA, 0.5% SDS, followed by a 30 minute wash in fresh solution at Tm-10°C.

Claim 92 (currently amended): A polynucleotide probe for isolation or identification of alpha amylase genes having a sequence which is the same as, or fully complementary to at least a 35 nucleotide residue fragment of SEQ ID NO:125 one of SEQ ID NO:125 one of SEQ ID NOS:: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299.

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 21 of 37

Claims 93 to 100 (canceled)

Claim 101 (currently amended): A cloning vector comprising a sequence that encodes a polypeptide having alpha amylase activity, said sequence comprising a sequence as set forth in claim 2 or claim 10 being selected from the group consisting of:

SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299;

variants having at least about 50% homology to at least one of SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection;

sequences complementary to SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 22 of 37

235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299; and

sequences complementary to variants having at least about 50% homology to SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection.

Claim 102 (currently amended): A host cell comprising a <u>nucleic acid having a</u> sequence that encodes a polypeptide having alpha amylase activity, said sequence <u>comprising a sequence as set forth in claim 2 or claim 10 being selected from the group consisting of:</u>

SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299;

variants having at least about 50% homology to at least one of SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 23 of 37

221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection;

sequences complementary to SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299; and

sequences complementary to variants having at least about 50% homology to SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection.

Claim 103 (currently amended): An expression vector capable of replicating in a host cell comprising a polynucleotide having a sequence <u>as set forth in claim 2 or claim 10</u> selected from the group consisting of SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199,

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 24 of 37

201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, variants having at least about 50% homology to SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual inspection, sequences complementary to SEQ ID NOS.: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299, and sequences complementary to variants having at least about 50% homology to SEQ ID NOS:: 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, 255, 257, 259, 261, 263, 265, 267, 269, 271, 273, 275, 277, 279, 281, 283, 285, 287, 289, 291, 293, 295, 297, 299 over a region of at least about 100 residues, as determined by analysis with a sequence comparison algorithm or by visual

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 25 of 37

inspection, and isolated nucleic acids that hybridize to nucleic acids having any of the foregoing sequences under conditions of low, moderate and high stringency.

Claim 104 (original): A vector as claimed in claim 101 or 103, wherein the vector is selected from the group consisting of viral vectors, plasmid vectors, phage vectors, phagemid vectors, cosmids, fosmids, bacteriophages, artificial chromosomes, adenovirus vectors, retroviral vectors, and adeno-associated viral vectors.

Claim 105 (currently amended): A host cell comprising an expression vector as claimed in claim [[103]] 102.

Claim 106 (currently amended): A host cell as claimed in claim [[47,]] 102, [[103 or 105,]] wherein the host is selected from the group consisting of prokaryotes, eukaryotes, funguses, yeasts, and plants [[and metabolically rich hosts]].

Claim 107 (currently amended): A method for liquifying a starch containing composition comprising contacting the starch with a polypeptide [[of]] encoded by a nucleic acid comprising a sequence as set forth in claim [[30]] 2 or claim 10.

Claims 108 to 110 (canceled)

Claim 111 (currently amended): A method for washing an object comprising contacting said object with a polypeptide [[of]] encoded by a nucleic acid comprising a sequence as set forth in claim [[30]] 2 or claim 10, under conditions sufficient for said washing.

Claim 112 (currently amended): A method for textile desizing comprising contacting said textile with a polypeptide [[of]] encoded by a nucleic acid comprising a sequence as set forth in claim [[30]] 2 or claim 10, under conditions sufficient for said desizing.

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 26 of 37

Claim 113 (currently amended): A method for the treatment of lignocellulosic fibers, wherein the fibers are treated with a polypeptide [[of]] encoded by a nucleic acid comprising a sequence as set forth in claim [[30]] 2 or claim 10, in an amount which is efficient for improving the fiber properties.

Claim 114 (currently amended): A method according to claim 113 for enzymatic deinking of recycled paper pulp, wherein the polypeptide [[of]] encoded by a nucleic acid comprising a sequence as set forth in claim [[30]] 2 or claim 10 is applied in an amount which is efficient for effective deinking of the fiber surface.

Claim 115 (currently amended): A method for starch liquefaction comprising contacting said starch with with a polypeptide [[of]] encoded by a nucleic acid comprising a sequence as set forth in claim [[30]] 2 or claim 10 under conditions sufficient for said liquefaction.

Claim 116 (canceled)

Claim 117 (currently amended): A method for producing a high-maltose or a high-glucose syrup or a mixed syrup comprising:

liquefying starch using an effective amount of a polypeptide [[of]] encoded by a nucleic acid comprising a sequence as set forth in claim [[30]] 2 or claim 10 to obtain a soluble starch hydrolysate; and

saccharifying the soluble starch hydrolysate, thereby resulting in a syrup.

Claim 118 (withdrawn): The method as in any of claims 107, 115, or 117, wherein the starch is from a material selected from rice, germinated rice, corn, barley, wheat, legumes and sweet potato.

Claim 119 (withdrawn): The method as in any of claims 107, 115, or 117, further comprising addition of a second alpha amylase or a beta amylase or a combination thereof.

Serial No. : 10/081,872 Filed : February 21, 2002

Page : 27 of 37

Claim 120 (currently amended): A method of increasing the flow of production fluids from a subterranean formation by removing a viscous, starch-containing, damaging fluid formed during production operations and found within the subterranean formation which surrounds a completed well bore comprising:

allowing production fluids to flow from the well bore;

reducing the flow of production fluids from the formation below expected flow rates;

formulating an enzyme treatment by blending together an aqueous fluid and a polypeptide [[of]] encoded by a nucleic acid comprising a sequence as set forth in claim [[30]] 2 or claim 10;

pumping the enzyme treatment to a desired location within the well bore; allowing the enzyme treatment to degrade the viscous, starch-containing, damaging fluid, whereby the fluid can be removed from the subterranean formation to the well surface; and

wherein the enzyme treatment is effective to attack the alpha glucosidic linkages in the starch-containing fluid.